



SINO-FOREIGN JOINT VENTURE  
WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD

中外合资 温州希伯伦流体设备有限公司

**XIBOLUN**  
*fluid*  
**Equipment**

2006 Plank this

**Xibolun** 希伯伦

卫生阀门/管件/卫生泵

# 共同的希伯伦 共赢的希伯伦

中外合资温州希伯伦流体设备有限公司是由意大利著名卫生流体设备生产商KONGSOKKIN在中国投资的 是中国地区一家集科研、生产一体化的现代化企业，是国内少数能生产高精度卫生级不锈钢设备、管道连接的厂家之一。公司位于温州市永中海滨工业区，距温州永强机场2公里。现公司在温州经济技术开发区的分公司一期工程已竣工。

本产品采用意大利生产工艺和技术，大量引进意大利等国外先进数控机床及其它检测设备，专业生产（希伯伦牌）卫生级不锈钢流体设备，阀门、管道连接产品。所有产品均严格按照国内外不同的光洁度、材质和工业标准（如ISO、DIN、IDF、SMS、3A）等进行制造。本公司在科研人员的共同努力下，不断开发新的产品，生产的产品广泛应用于食品、制药、乳品、啤酒、饮料、精细化工等领域，各项技术均达到国际领先水平，符合GMP药典要求。产品大量出口美国、欧洲、中东等地，并辐射中国。

诚信，开放、发展是希伯伦企业的经营理念。我们始终坚信客户给我们的宝贵意见与支持，是希伯伦人把高质量的材料，先进的设计，严格的制造标准及质量保证体系完美结合，力争为客户，提供最好、最优产品的动力。

希伯伦人以满腔热情对待每一次的合作，并诚信恭候您的光临！



# XIBOLUN PRODUCT LINES

希伯伦系列产品

All the products can be made according to the different requirements of the customers for smoothness, material and industrial standards (such as: ISO, DIN, IDF, and 3A). Products have won the acceptances from the clients all over the world for the full sets of our best service.

所有产品均可根据客户对光滑度、材质及工业标准（如：ISO、DIN、IDF、3A）标示的不同进行专业的设计制造。其各项标准完善的流体配件已得到国内外客户的广泛认可。



# 公司荣誉 Honor of CNMPANY




希伯伦获得的资质与荣誉，是对过去取得的成绩的肯定，也是对希伯伦创造明日辉煌的鼓舞和鞭策！不断的向新台阶迈进，是希伯伦顽强拼搏，永不停歇的信念！



# Brief INTRODUCTION

外商在我公司考察



Xibolite



# BUTTERFLY Valve

## 卫生蝶阀



ISO 焊接型蝶阀  
ISO Welded butterfly valve  
No. XBL-8005A

---



SMS 焊接型蝶阀  
SMS Welded butterfly valve  
No. XBL-8005B

---



DIN ( 11851 ) 焊接型蝶阀  
DIN ( 11851 ) Welded butterfly valve  
No. XBL-8005C

---



DIN ( 11850 ) 焊接型蝶阀  
DIN ( 11850 ) Welded butterfly valve  
No. XBL-8005D

---

# Butterfly Valve

## 卫生蝶阀



螺纹式蝶阀 DIN (11850)  
Thread butterfly valve DIN ( 11850 )  
No. XBL-8002B



螺纹式蝶阀 DIN 11851 )  
Thread butterfly valve DIN 11851 )  
No. XBL-8002A



法兰型 (对夹式) 蝶阀  
Flange(wafer) butterfly valve  
No. XBL-8003



卡式蝶阀  
Quick set butterfly valve  
No. XBL-8004



螺 / 焊型蝶阀  
Screwed / Welded butterfly valve  
No. XBL-8002C

Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

# BALL Valve

卫生球阀



卫生级球阀  
Sanitary ball valve  
No. XBL-8030



卫生级高精度无死角球阀  
Sanitary quick set ball valve  
No. XBL-8029A



卫生隔膜阀  
Sanitary diaphragm valve  
No. XBL-8028



卫生级无滞留球阀  
Sanitary non-residue ball valve  
No. XBL-8029

Pneumatic  
Butterfly Valve  
Pneumatic-operated  
cut-off valves  
reversal valves  
Hand-operated  
cut-off valves  
reversal valves

阀体组合



卫生级驱动式蝶阀  
Sanitary driven butterfly valve  
No. XBL-8009



气动换向阀  
Pneumatic reversal valve  
No. XBL-8009A



手动截止阀  
Hand-operated cut-off valves  
No. XBL-8009B



手动换向阀  
Hand-operated reversal valve  
No. XBL-8009C

气动蝶阀  
气动截止阀/换向阀  
手动截止阀/换向阀

Xibolun 希伯世

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

# CHECK Valve 止回阀



焊接式止回阀  
Welded check valve  
No. XBL-8011



卡式止回阀  
Quick set check valve  
No. XBL-8012



卫生级外螺纹止回阀 (H21X-C型)  
Sanitary male thread check valve (model H21X-C)  
No. XBL-8012B



卫生级卡式止回阀 (H21X-C型)  
Sanitary quick-install check valve (model H21X-C)  
No. XBL-8012A

# SANITARY

## Movable fittings

### 活接头



焊接式活接头 DIN 11851  
Welded flexible splice DIN 11851  
No. XBL-(8018、8019、8020)



胀管式活接头 DIN 11851  
Expanded flexible splice DIN 11851  
No. XBL-(8014、8015、8016)



焊接式螺纹接头SMS  
welded thread splice SMS  
No. XBL-(8021、8022、8023)



焊接卡式接头  
Welded clip splice  
No. XBL-8025



焊接式活接头 DIN 11850  
Welded flexible splice DIN11850  
No. XBL-(8018A、8019、8020A)



卫生级卡箍接头  
Sanitation hoop fitting  
No. XBL-8024A



卫生级活接头  
Sanitary flexible elbow  
No. XBL-8043A



卫生级活接三通  
Sanitary flexible tee  
No. XBL-8044A

卫生级不锈钢  
卡箍式管件系列

ISO SMS 3A 标准



90° 卡箍式弯头  
90° Quick set elbow  
No. XBL-8043



卡箍式等径三通  
Equal-diameter quick-set tee  
No. XBL-8044



卡箍式等径四通  
Equal-diameter quick-set cross  
No. XBL-8042



卡箍式U型三通  
U-shaped fast-assembly tee  
No. XBL-8046



卡箍式变径管  
Quick set reducer  
No. XBL-8045



卡箍式软管接头  
Clip hose splice  
No. XBL-8057

Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

卫生级不锈钢  
焊式管件系列

ISO SMS  
三A DIN 标准



90° 焊式弯头  
90° Elbow ends weld  
No. XBL-8037A



焊式平口三通  
Welded Flush tee  
No. XBL-8041



焊式等径三通  
Welded equal-diameter tee  
No. XBL-8039



180° 焊式弯头  
180° Elbow ends weld  
No. XBL-8036A



焊式等径四通  
Welded Equal-diameter cross  
No. XBL-8040A



焊式同心变径  
Welded concentric variable diameter  
No. XBL-8051A



焊式同心变径  
Welded concentric variable diameter  
No. XBL-8051B

# EXPANDED

DIN 11851 11850  
pipe fittings series

卫生级不锈钢 胀管式管件系列



90° 胀管式弯头  
90° Expanded elbow  
No. XBL-8037A



180° 胀管式弯头  
180° Expanded elbow  
No. XBL-8036B



胀管式等径三通  
Expanded equal-diameter tee  
No. XBL-8039A



过滤管三通  
Filter-diameter tee  
No. XBL-8041A



胀管式偏心变径  
Expanded eccentric Variable diameter  
No. XBL-8051D



胀管式同心变径  
Expanded concentric variable diameter  
No. XBL-8051C



胀管式等径四通  
Expanded equal-diameter cross  
No. XBL-8040B

Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

**SANITARY**

Steel pipe

卫生钢管



卫生镜面钢管  
Sanitary mirror steel pipe  
No. XBL-8032



不锈钢管支架  
Stainless steel rack  
No. XBL-8013

本公司现用的高精度多辊式冷轧管机，是专业生产不锈钢薄壁无缝（内外镜面）工业流体管的先进生产设备。

产品可根据客户对光洁度、材质及工业标准（如：ISO、DIN、IDF、3A）要求的不同进行专业的设计制造。其应用广泛，并得到国内外客户的认可。

Xibolun 精日安

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

# PIPELINE Filter SAFETY Valve

管道过滤器  
安全阀



卫生级Y型过滤器  
Y-shaped filter  
No. XBL-8063Y



安全阀  
Safety valve  
No. XBL-8064



卫生级不锈钢管道过滤器  
Stainless steel pipeline filter  
No. XBL-8063

## 安全阀

连接形式: 焊接式、快装式、螺纹式  
材质为: SUS304、SUS316L制成  
口径: DN25  
适用于发酵罐CO<sub>2</sub>气体的回收及排气,  
并保持稳定罐内压力。

Safety valve  
Connection mode: thread, quick-install, welded  
Material quality: SUS304, SUS316L  
Diameter: DN25  
Apply for recovery of Co<sub>2</sub> and exhaust for  
fermenting tank, and keep the pressure inside  
the tank stable.

## 卫生级不锈钢管道过滤器

材质为: SUS304、SUS316L制成  
口径: DN20-50及1"-2"  
连接方式: 螺纹式、焊接式、快装式  
结构方式: 可直通式或直角式  
应用各种管道过滤

Sanitation grade stainless steel pipeline filter  
Material quality: SUS304, SUS316L  
Flux domination of pipeline: DN20-50&1"-2"  
Connection mode: thread,  
quick-install, welded  
structure mode: straight-way type or  
right-angle type

Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

SAMPLING valve

LIQUID

Level gauge

取样阀 / 液位计



No. XBL-8065

#### 卫生级取样阀

材质为: SUS304、SUS316L制成  
连接方式: 螺纹式、焊接式、快装式  
Sanitation grade sampling valve  
Material quality: SUS304、SUS316L  
Connection mode: welded, quick-install,  
threaded



No. XBL-8062

#### 卫生级取样弯头

材质为: SUS304、SUS316L制成  
连接方式: 螺纹式、焊接式、快装式  
Sanitation grade sampling bend  
Material quality: SUS304、SUS316L  
Connection mode: threaded, quick-install,  
welded



No. XBL-8066

#### 卫生级液位计

材质为: SUS304、SUS316L制成  
连接方式: 螺纹式、快装式、焊接式  
应用于不锈钢罐探测液位  
Sanitation grade liquid level gauge  
Material quality: SUS304、SUS316L  
Connection mode: threaded, quick-install,  
welded  
Apply for stainless steel tank,  
measure the liquid level

# Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

## MANHOLE Cover 人孔盖

### YAA人孔盖

开口向外型人孔盖HLSD用在压力罐及容器有顶部，通向容器内部的途径可关闭。YAA人孔盖获德国TUV权威机构认可，承受压力可达1000kpa（10bar）。

此人孔盖结构内径分别有：200、300、400、450、500、600和800mm。

此人孔盖所用材质为316L。

The outward-opening manhole cover HLSD is used at the top of pressure vessel, the pathway to the inner part of the vessel is right-way closed. YAA manhole cover has been authorized by German institution-TUV, which can sustain 1000kpa (10 bar) of pressure. Inner diameters of the manhole cover: 200, 300, 400, 450, 500, 600 and 800mm. Material of the manhole cover: 316L.



YAA人孔盖  
YAA Manhole Cover  
No. XBL-8068



YAB人孔盖  
YAB Manhole Cover  
No. XBL-8069



YAC人孔盖  
YAC Manhole Cover  
No. XBL-8070

### YAB人孔盖

YAB为圆形孔盖，直径分别有200，300，430，500和600mm，不锈钢304或316L材质，安装于液位之上。

This is a round shape manhole cover, has different diameters of 200, 300, 430, 500 or 600mm, Ade of stainless steel 304 of 306L, installed above the liquid level.

### YAC人孔盖

可应用于不锈钢大罐及容器，此类应用场合要求通向大罐及容器内部的途径可被锁住。  
YAC-拱形人孔盖，可承受最大静止压力2bar（在20℃温度），  
YAC-I:拱形人孔盖。有高支架，可用于带保温材料的大罐。  
YAC:平形人孔盖，低框架。  
YAC:平形人孔盖，高框架，用于带保温材料的大罐。  
YAC-P可承受最大正工作压力5bar。  
可提供的规格有：410×510，320×440或350×450mm，所用材质为304或316L。

Suitable for larger stainless steel tanks and vessels, which require the pathways to the inner parts of the tanks or vessels can be locked up.  
YAC: arc manhole cover, which can sustain a Max. Static pressure of 2bar (under the temperature of 20℃)  
YAC-I: arc manhole cover, has higher bracket, suitable for big vessels with lagging material.  
YAC: flat manhole cover, lower bracket.  
YAC: flat manhole over, higher bracket, suitable for big vessels with lagging material.  
YAC-P: can sustain a Max. Working pressure of 5bar

# Sanitation grade stainless steel sight glass

## 卫生级不锈钢视镜



### 卫生级不锈钢视盅

材质为: SUS304、SUS316L制成  
管道流量控制: DN25-150及1" -6"  
连接方式: 螺纹式、快装式、焊接式、法兰式  
Sanitation grade stainless steel handleless cup  
Material quality: SUS304、SUS316L  
Flux domination of pipeline: DN25-150&1" -6"  
Connection mode: welded, quick-install, threaded, flange mode



No. XBL-8071

### 卫生级不锈钢罐视镜灯

材质为: SUS304、SUS316L制成  
口径: DN80-150  
连接方式: 焊接式  
Sanitation grade stainless steel tank sight glass lamp  
Material quality: SUS304、SUS316L  
Diameter: DN80-150  
Connection mode: welding mode



No. XBL-8072

### 卫生级不锈钢管道视镜

材质为: SUS304、SUS316L制成  
管道流量控制: DN25-150及1" -6"  
连接方式: 螺纹式、快装式、焊接式、法兰式  
Sanitation grade stainless steel pipeline sight glass  
Material quality: SUS304、SUS316L  
Flux domination of pipeline: DN25-150&1" -6"  
Connection mode: threaded, quick-install, welded, flange mode



No. XBL-8073

# Cleaners series

## 清洗器系列



No. XBL-8061

### 卫生级固定喷雾清洗球

材质为: SUS304、SUS316L制成  
管道流量控制: DN20-50及3/4" -2"  
连接方式: 螺纹、快装、焊接、插口。  
应用各种罐内清洗

Sanitary grade fix-type spray cleaning ball  
Material quality: SUS304, SUS316L  
Flux domination of pipeline: DN20-50&3/4" -2"  
Connection mode: thread-type, quick-installment, weld-type, faucet-type  
Apply for cleaning every kinds of tanks

### 双循环牛角式水传动洗罐器

double-circulating bull-horn type  
water-driven tank cleaner



No. XBL-8059A



No. XBL-8060



### 卫生级旋转清洗球

材质为: SUS304、SUS316L制成  
管道流量控制: DN20-50及3/4" -2"  
连接方式: 螺纹式、快装式。应用各种罐内清洗

Sanitation grade revolved cleaning ball  
Material quality: SUS304, SUS316L  
Flux domination of pipeline: DN20-50&3/4" -2"  
Connection mode: thread-type, quick-installment  
Apply for cleaning every kinds of tanks



No. XBL-8051

### 卫生级T型清洗喷雾器

材质为: SUS304、SUS316L制成  
口径: DN40-50  
连接方式: 螺纹、快装、应用各种罐内清洗

T-shaped cleaner  
Material quality: SUS304, SUS316L  
Diameter: DN40-50  
Connection mode: thread-type, quick-installment  
apply for cleaning every kinds of tanks

Xibolun

WENZHOU XIBOLUN FLUID  
EQUIPMENT CO.,LTD.

## Sanitary FLOOR DRAIN

药瓶、呼吸器、  
卫生级地漏



YDD卫生级地漏  
YDD sanitary floor drain  
No. XBL-8058



不锈钢清扫口  
Stainless steel drain  
No. XBL-8058A



药瓶  
Medicine bottle  
No. XBL-8058B



呼吸器  
Breather  
No. XBL-8058C

PUMPS  
series

## 不锈钢流体泵系列



No. XBL-8074

## 卫生级离心泵

材质为: SUS304、SUS316L制成

密封方式: 机械密封

接口方式: 螺纹、焊接、快装

Sanitation grade centrifugal pump

Material quality: SUS304、SUS316L

seal mode: mechanical seal

Connection mode: welded, quick-install,  
threaded

No. XBL-8075

## 卫生级离心泵

材质为: SUS304、SUS316L制成


密封方式: 机械密封

接口方式: 螺纹、焊接、快装

Sanitation grade centrifugal pump

Material quality: SUS304、SUS316L

seal mode: mechanical seal

Connection mode: welded, quick-install,  
threaded

No. XBL-8076

## 卫生级CIP自吸清洗泵

材质为: SUS304、SUS316L制成

密封方式: 机械密封

接口方式: 螺纹、焊接、快装

Sanitation grade CIP self-priming cleaning pump

Material quality: SUS304、SUS316L

seal mode: mechanical seal

Connection mode: welded, quick-install, threaded

# Engineering Appltcation

产品应用



Xibolun fluid equipments are widely used in food,beer,beverage, pharmacy,chemical industry and so on.

希伯伦卫生流体设备广泛用于食品、乳品、啤酒、饮料、制药、精细化工、化妆品等行业。



中外合资

## 温州希伯伦流体设备有限公司

地址：温州市龙湾区海滨工业区海宁路6号

电话：86-577-86895678 86893721

传真：86-577-86899698

网址：www.china-xbl.com

E-mail: xbl@china-xbl.com

SINO-FOREIGN JOINT VENTURE

WENZHOU XIBOLUN FLUID EQUIPMENT CO.,LTD

Add: No.6, Haining road, Haibin Industrial Zone, Yongzhong  
Town, Longwan Area, Wenzhou, Zhejiang,  
China.

Tel: 86-577-86895678 86893721

Fax: 86-577-86899698

Http: //www.china-xbl.com

E-mail: xbl@china-xbl.com

### 希伯伦意大利公司

地址：意大利威钱莎区田黎市圣安东尼路44号

电话：0039 - 0445 - 387003

E-mail: irenekong@interfree.it

XIBOLUN ITALY CORPORATION

Add: Villaggio S. Antonio, 44, 36016 THIENE (VI) ITALY

Tel: 0039-0445-387 003

E-mail: irenekong@interfree.it

### 希伯伦俄罗斯公司

地址：117335, 莫斯科市纳黑莫夫斯基大街63号1幢

XIBOLUN RUSSIA CORPORATION

Add: 117335, korp-1, nahimovski street 63, Moscow.

